For Research Use Only

UXT Polyclonal antibody

Catalog Number:11047-1-AP 2 Publications



Basic Information

Catalog Number: 11047-1-AP Source:

Rabbit Isotype: IgG

Immunogen Catalog Number:

AG1513

GenBank Accession Number:

BC008890
GeneID (NCBI):
8409
UNIPROT ID:
Q9UBK9
Full Name:

ubiquitously-expressed transcript

Calculated MW: 20 kDa Observed MW: 18 kDa, 45 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB: 1:200-1:1000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

Applications

Tested Applications: WB, IP, ELISA

Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species: human, mouse Positive Controls:

WB: HeLa cells, mouse brain tissue

IP: mouse brain tissue,

Background Information

Ubiquitously expressed transcript (UXT) is a gene transcription regulator. It can regulate androgen receptor(AR) transcription by concerting with the coreperssor UR1. It is proposed a potential component of mitochondrial-associated LRPPRC, a multidomain organizer that potentially integrates mitochondria and the microtubular cytoskeleton with chromosome remodeling, for UXT increasing concentrations of UXT contributes to progressive aggregation of mitochondria and cell death potentially through its association with LRPPRC. UXT is possible a nuclear chaperone that promotes formation of the NF-kappa-B enhanceosome and which is essential for its nuclear function. It can suppresses cell transformation and mediate this function by interaction and inhibition of the biological activity of cell proliferation and survival stimulatory factors like MECOM

Notable Publications

Author	Pubmed ID	Journal	Application
Kaifen Xiong	40462113	Cell Div	WB
Carrieri Claudia C	23064229	Nature	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 11047-1-AP (UXT antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



IP result of anti-UXT (IP:11047-1-AP, 3ug; Detection:11047-1-AP 1:300) with mouse brain tissue lysate 4000ug.