For Research Use Only

KRT33B Polyclonal antibody

Catalog Number: 11048-1-AP

1 Publications



Basic Information

Catalog Number: 11048-1-AP

Size: $600 \mu g/ml$ Source: Rabbit Isotype:

Immunogen Catalog Number:

AG1522

Observed MW:

46 kDa

46 kDa

BC009971

3884

GeneID (NCBI):

UNIPROT ID:

keratin 33B Calculated MW:

Q14525 Full Name:

GenBank Accession Number:

Positive Controls:

WB: MCF-7 cells, human brain tissue

IHC: human skin cancer tissue, human prostate cancer

Purification Method:

WB 1:500-1:2000 IHC 1:400-1:1600

IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IF/ICC: MCF-7 cells,

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB

Species Specificity:

human **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic $type\ I\ keratins, including\ K1-K8, and\ the\ hair\ keratins,\ Hb1-Hb6.\ Keratin\ 33\ belongs\ to\ type\ I\ keratin\ and\ is\ found\ in\ heratin\ heratin$ hair and nails. There are two isoforms of this protein, encoded by two separate genes, KRTHA3A and KRTHA3B.

Notable Publications

Author Pubmed ID Application Yan-Min Ma 24994782 Asian J Androl WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




MCF-7 cells were subjected to SDS PAGE followed by western blot with 11048-1-AP (KRT33B antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human skin cancer tissue slide using 11048-1-AP (KRT33B antibody) at dilution of 1:800 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human skin cancer tissue slide using 11048-1-AP (KRT33B antibody) at dilution of 1:800 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed MCF-7 cells using 11048-1-AP (KRT33B antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).