For Research Use Only

CRIPT Polyclonal antibody

Catalog Number:11211-1-AP

Featured Product

3 Publications

BC018653

9419

GeneID (NCBI):

GenBank Accession Number:



Basic Information

Catalog Number: 11211-1-AP Size: 900 μg/ml

UNIPROT ID: Source: Rabbit Q9P021 Full Name: Isotype:

cysteine-rich PDZ-binding protein

Calculated MW: Immunogen Catalog Number: AG1708

11 kDa

Observed MW: 15 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IF/ICC 1:20-1:200

Applications

Tested Applications: WB, IF/ICC, IP, ELISA Cited Applications: WB, IF, IP, CoIP Species Specificity: human, mouse, rat **Cited Species:**

human, rat

Positive Controls:

WB: LO2 cells, IP: LO2 cells, IF/ICC: LO2 cells,

Background Information

The clustering and immobilization of receptors and ion channels located at specific subcellular sites are believed to be mediated by intracellular proteins that attach these membrane proteins to the cytoskeleton. Receptors and ion channels interact with cytoplasmic proteins, which involved in the modulation or downstream signaling mechanisms of the receptor/ion channel. CRIPT is the protein that binds to the third PDZ (PDZ3) domain of PSD95, which binds to and clusters a variety of membrane proteins, including Shaker-type potassium channel subunits and NMDA receptor NR2 subunits, via its first 2 N-terminal PDZ domains

Notable Publications

Author	Pubmed ID	Journal	Application
Anton Omelchenko	32157575	Mol Neurobiol	WB,CoIP
Lei Zhang	29218323	eNeuro	WB,IP
Pierre Klein	38844464	Nat Commun	IF

Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



LO2 cells were subjected to SDS PAGE followed by western blot with 11211-1-AP (CRIPT antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IP result of anti-CRIPT (IP:11211-1-AP, 4ug; Detection:11211-1-AP 1:500) with LO2 cells lysate 1800ug.



Immunofluorescent analysis of LO2 cells using 11211-1-AP (CRIPT antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).