For Research Use Only

PPFIA3 Polyclonal antibody

Catalog Number: 11492-1-AP 3 Publications



Basic Information

Catalog Number: GenBank Accession Number: 11492-1-AP BC021255 GeneID (NCBI): Concentration: 500 ug/ml 8541 **UNIPROT ID:** Source: Rabbit 075145

Full Name: Isotype: protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF),

Immunogen Catalog Number:

AG1971

Purification Method: Antigen affinity purification

Recommended Dilutions: WB: 1:1000-1:4000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:250-1:1000

1194 aa, 133 kDa Observed MW: 140 kDa

Calculated MW:

interacting protein (liprin), alpha 3

Applications

Tested Applications: WB, IHC, IP, ELISA **Cited Applications:** WB. IHC

Species Specificity: human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

WB: mouse brain tissue, HEK-293 cells, rat brain tissue

IP: mouse brain tissue.

IHC: mouse cerebellum tissue.

Background Information

PPFIA3, also named as KIAA0654, belongs to the liprin family and Liprin-alpha subfamily. PPFIA3 may regulate the disassembly of focal adhesions. It may localize receptor-like tyrosine phosphatases type 2A at specific sites on the plasma membrane, possibly regulating their interaction with the extracellular environment and their association $with \, substrates. \, PPFIA3 \, exhibites \, more \, than \, 5 \, fold \, accumulations \, in \, the \, monoribosome \, fraction. \, PPFIA3 \, is \, in \, the \, monoribosome \, fraction \, accumulation \, fold \, accumulation \, accum$ decreased at the protein level by the miR-99 family but not in the luciferase reporter with the 3'UTR of PPFIA3.

Notable Publications

Author	Pubmed ID	Journal	Application
Takeshi Uemura	35385735	Cell Rep	IHC
Xingchen Li	37339751	Open Biol	
Sun Dandan D	21212412	Cancer Res	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11492-1-AP (PPFIA3 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse cerebellum tissue slide using 11492-1-AP (PPFIA3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse cerebellum tissue slide using 11492-1-AP (PPFIA3 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-PPFIA3 (IP:11492-1-AP, 4ug; Detection:11492-1-AP 1:600) with mouse brain tissue lysate 3440ug.