

For Research Use Only

CNN3 Polyclonal antibody

Catalog Number: 11509-1-AP

Featured Product

3 Publications



Basic Information

Catalog Number:

11509-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2068

GenBank Accession Number:

BC025372

GeneID (NCBI):

1266

UNIPROT ID:

Q15417

Full Name:

calponin 3, acidic

Calculated MW:

329 aa, 36 kDa

Observed MW:

36 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF 1:10-1:100

Applications

Tested Applications:

IF/ICC, IHC, IP, WB, ELISA

Cited Applications:

WB, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HCT 116 cells, HAP1 cells, human kidney tissue, human skeletal muscle tissue, HEK-293 cells, HepG2 cells, NIH/3T3 cells

IP: HEK-293 cells, U-87MG cells

IHC: human prostate cancer tissue, human skin tissue, human hysteroomyoma tissue, human stomach cancer tissue

IF: HeLa cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Taha A Jan	34260939	Cell Rep	IF
Keun-Seok Hong	30911294	Gastroenterol Res Pract	WB
Pei-Shan Wu	37976471	J Proteome Res	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of CNN3 antibody (11509-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CNN3 transfected HEK-293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 11509-1-AP (CNN3 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




human kidney tissue were subjected to SDS PAGE followed by western blot with 11509-1-AP (CNN3 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of HeLa cells, using CNN3 antibody 11509-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).



Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 11509-1-AP (CNN3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 11509-1-AP (CNN3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-CNN3 (IP:11509-1-AP, 4ug; Detection:11509-1-AP 1:15000) with HEK-293 cells lysate 960 ug.