

For Research Use Only

SRP68 Polyclonal antibody

Catalog Number: 11585-1-AP **7 Publications**



Basic Information

Catalog Number: 11585-1-AP	GenBank Accession Number: BC020238	Purification Method: Antigen affinity purification
Size: 800 µg/ml	GeneID (NCBI): 6730	Recommended Dilutions: WB 1:500-1:2000
Source: Rabbit	UNIPROT ID: Q9UHB9	IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate
Isotype: IgG	Full Name: signal recognition particle 68kDa	IHC 1:50-1:500
Immunogen Catalog Number: AG2177	Calculated MW: 68 kDa	IF 1:200-1:800
	Observed MW: 68 kDa	

Applications

Tested Applications: IF/ICC, IHC, IP, WB, ELISA	Positive Controls:
Cited Applications: WB	WB : mouse brain tissue, human brain tissue
Species Specificity: human, mouse, rat	IP : mouse kidney tissue,
Cited Species: human, mouse	IHC : human gliomas tissue, rat testis tissue
Note-IHC: <i>suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0</i>	IF : HepG2 cells,

Background Information

The signal recognition particle (SRP) is a ribonucleoprotein complex that mediates the targeting of secretory proteins to the rough endoplasmic reticulum (ER) membrane. This ribonucleoprotein complex might interact directly with the docking protein in the ER membrane and possibly participate in the elongation arrest function. SRP68 is one component of the ribonucleoprotein complex, and forms a heterodimer with SRP72.

Notable Publications

Author	Pubmed ID	Journal	Application
Mehdi Pirouz	32457326	Nat Commun	WB
Joseph Russo	28129347	PLoS One	WB
Piazzon Nathalie N	23221635	Nucleic Acids Res	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




mouse brain tissue were subjected to SDS PAGE followed by western blot with 11585-1-AP (SRP68 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 11585-1-AP (SRP68 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded rat testis tissue slide using 11585-1-AP (SRP68 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded rat testis tissue slide using 11585-1-AP (SRP68 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-SRP68 (IP:11585-1-AP, 4ug; Detection:11585-1-AP 1:400) with mouse kidney tissue lysate 4000ug.



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using SRP68 antibody (11585-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).