For Research Use Only

DNAJA1 Polyclonal antibody

Catalog Number: 11713-1-AP

Featured Product

11 Publications



Basic Information

Applications

Catalog Number: 11713-1-AP Size: 350 μg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG2284

Tested Applications:

IF/ICC, WB, ELISA Cited Applications: WB, IP, IF

Species Specificity: human, mouse, rat **Cited Species:** human, mouse

GenBank Accession Number:

BC008182 GeneID (NCBI): 3301

UNIPROT ID: P31689 Full Name:

DnaJ (Hsp40) homolog, subfamily A,

member 1 Calculated MW:

397 aa, 45 kDa Observed MW: 45 kDa

Positive Controls:

WB: HEK-293 cells, HeLa cells, human testis tissue, HepG2 cells, human liver tissue, Jurkat cells, mouse lung tissue, mouse kidney tissue, rat kidney tissue

Purification Method:

WB 1:1000-1:8000 IF 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IF: HepG2 cells,

Background Information

DNAJA1 is a member of the DnaJ proteins (also known as Hsp40 or Hsc40) which are cochaperones to DnaK (Hsp70) and function to modulate protein assembly, disassembly, and translocation. DNAJA1 has been reported to get involved in various processes, including virus infection, tau clearance, and mutant p53 degradation.

Notable Publications

Author	Pubmed ID	Journal	Application
Shan Lu	36075972	Nat Cell Biol	IF
Yajuan Zhang	34720086	J Clin Invest	WB
Jiawei Zhang	35595767	Nat Commun	WB,IP

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11713-1-AP (DNAJA 1 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 11713-1-AP (DNAJA1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



WB result of DNAJA1 antibody (11713-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-DNAJA1 transfected HeLa cells.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using DNAJA1 antibody (11713-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).