For Research Use Only

CCL11/Eotaxin Polyclonal antibody

Catalog Number:11786-1-AP 2 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Antigen affinity purification

11786-1-AP Size:

GeneID (NCBI):

Recommended Dilutions:

IHC 1:800-1:3200

350 ug/ml Source:

6356 **UNIPROT ID:** P51671

Full Name:

BC017850

Rabbit Isotype:

chemokine (C-C motif) ligand 11

Immunogen Catalog Number:

97 aa, 11 kDa

Calculated MW:

Applications

Tested Applications:

IHC, ELISA

AG2398

Cited Applications:

IHC

Species Specificity:

human

Cited Species:

mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

IHC: human lung squamous cell carcinoma tissue,

human tonsillitis tissue

Background Information

CCL11 also named Eotaxin-1, was initially discovered as an eosinophil-specific chemoattractant. CCL11 plays a central role in both allergic and non-allergic inflammatory reactions by recruiting immune cells such as eosinophils, basophils and Th2 lymphocytes. CCL11 binds to the chemokine receptors CCR2, CCR3 and CCR5, with $highest\ affinity\ to\ CCR3.\ High\ levels\ of\ CCL11\ have\ been\ described\ in\ several\ chronic\ inflammatory\ diseases,\ such the property of\ CCR3.$ $as \ all ergic \ rhinit is, a topic \ dermatit is, as thma, gas troint estimal \ disease \ and \ rheumatoid \ arthrit is.$

Notable Publications

Author	Pubmed ID	Journal	Application
Na Sun	32208746	Am J Rhinol Allergy	IHC
Li Lin	33635162	Am J Physiol Heart Circ Physiol	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data







Immunohistochemical analysis of paraffinembedded human lung squamous cell carcinoma tissue slide using 11786-1-AP (Eotaxin antibody) at dilution of 1:1600 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).