For Research Use Only

Kininogen 1 Polyclonal antibody Catalog Number: 11926-1-AP 7 Publications





Basic Information	Catalog Number: 11926-1-AP	GenBank Accession Numb BC 060039	er: Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	450 ug/ml	3827	WB 1:500-1:1000	
	Source: Rabbit	UNIPROT ID: P01042	IHC 1:50-1:500 IF/ICC 1:10-1:100	
	lsotype: IgG	Full Name: kininogen 1		
	Immunogen Catalog Number: AG2574	Calculated MW: 644 aa, 72 kDa		
		Observed MW: 48 kDa, 72 kDa		
Applications	Tested Applications:	Ро	Positive Controls:	
	Cited Applications:cells, mWB, IF, CoIPIHC : huSpecies Specificity:tissuehumantissue		8 : HeLa cells, A2780 cells, COLO 320 cells, MCF-7 Ils, mouse kidney tissue	
			C : human kidney tissue, human endometrial cance sue	
			<pre>/ICC : HepG2 cells,</pre>	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	Kininogens are inhibitors of thiol proteases. Kininogen 1 plays important role in Kinin-kallikrein system. This KNG1 gene contains 10 exons and encodes two proteins through alternative splicing: high molecular weight kininogen (HMWK) (72kDa) and low molecular weight kininogen (LMWK) (48kDa) (PMID: 37442062). HMWK is produced by the liver together with prekallikrein. It acts mainly as a cofactor on coagulation and inflammation, and has no intrinsic catalytic activity. LMWK is produced locally by numerous tissues, and secreted together with tissue kallikrein. 11926-1-AP was generated against N-terminal 300 aa of HMW kininogen. It can bind both HMW and LMW kiniogen.			
Notable Publications	Author	Pubmed ID Journal	Application	
	Bo Ma	30235220 PLoS One	WB	
	Shen Liu	33144554 Med Sci M	onit WB	
	Qin Zheng	29734187 Cell Physi	ol Biochem WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.		


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data









Immunofluorescent analysis of HepG2 cells, using KNG1 antibody 11926-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Various lysates were subjected to SDS PAGE followed by western blot with 11926-1-AP (Kininogen 1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 11926-1-AP (Kininogen 1 antibody at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 11926-1-AP (Kininogen 1 antibody at dilution of 1:200 (under 40x lens).