For Research Use Only

SUB1 Polyclonal antibody Catalog Number:11956-1-AP Featured Product




Basic Information	Catalog Number: 11956-1-AP	GenBank Accession Numbe BC022339	r: Purification Method: Antigen affinity purification	
	Size: 1000 ug/ml Source: Rabbit	GeneID (NCBI): 10923	Recommended Dilutions: WB 1:500-1:2000	
		UNIPROT ID: P53999	IHC 1:50-1:500 IF/ICC 1:200-1:800	
	lsotype: IgG	Full Name: SUB1 homolog (S. cerevisia	ne)	
	Immunogen Catalog Number: AG2559	Calculated MW: 14 kDa		
		Observed MW: 18-23 kDa		
Applications			itive Controls:	
	WB, IHC, IF/ICC, ELISA Species Specificity:	WB	WB : rat liver tissue, HeLa cells, C2C12 cells	
	human, mouse, rat		: human gliomas tissue,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		CC : HeLa cells,	
Background Information	SUB1 gene encodes activated RNA polymerase II transcriptional coactivator p15, also termed as positive cofactor 4 (PC4) or p14. SUB1 is a sort of general coactivator that functions in assembling and stablization of transcription complex. It has DNA binding activity and is localized in the nucleus, mulitple modification sites of phosphorylation or acetylation may turn it appear slightly shifted molecular weight. Catalog#11956-1-AP is a rabbit polyclonal antibody raised against full-length human SUB1. This antibody recognize 14-16 kDa (P14 or P15), 20 kDa(phospho form) and 30 kDa (Dimer form).			
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol pH 7.3.		


For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 11956-1-AP (SUB1 antibody) at dilution of 1:100 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



rat liver tissue were subjected to SDS PAGE followed by western blot with 11956-1-AP (SUB1 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



WB result of SUB1 antibody (11956-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SUB1 transfected HeLa cells.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using SUB1 antibody (11956-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).