For Research Use Only

DNAJC2/MPP11 Polyclonal antibody

Catalog Number:11971-1-AP 2 Publications



Basic Information

Catalog Number: 11971-1-AP Source: Rabbit Isotype:

IgG Q99543 Full Name: Immunogen Catalog Number: AG2594

DnaJ (Hsp40) homolog, subfamily C, member 2 Calculated MW:

72 kDa Observed MW: 66-75 kDa

BC056682

27000

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:

Purification Method:

Antigen affinity purification Recommended Dilutions:

WB: 1:1000-1:8000 IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:50-1:500 IF/ICC: 1:200-1:800

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:**

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Caco-2 cells, HEK-293 cells, HeLa cells, HepG2 cells, K-562 cells, mouse liver tissue, PC-3 cells

IP: mouse liver tissue,

IHC: human liver cancer tissue, IF/ICC: HeLa cells, HepG2 cells

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Guiyou Tian	34010456	EMBO J	WB
Mohamed Alalem	36077724	Cancers (Basel)	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




IP result of anti-DNAJC2/MPP11 (IP:11971-1-AP, 4ug; Detection:11971-1-AP 1:1000) with mouse liver tissue lysate 6000ug.




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11971-1-AP (DNAJC2/MPP11 antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11971-1-AP (DNAJC2/MPP11 antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 11971-1-AP (DNAJC2/MPP11 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using DNAJC2/MPP11 antibody (11971-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).