For Research Use Only

URG4 Polyclonal antibody

Catalog Number:11998-1-AP

Featured Product

2 Publications

BC018426

55665

Q8TCY9

Full Name:

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:



Basic Information

Catalog Number: 11998-1-AP

Size: 650 μg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG2630

up-regulated gene 4 Calculated MW: 922 aa, 104 kDa Observed MW:

104 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:20-1:200 IF 1:50-1:500

Applications

Tested Applications:

IF/ICC, IHC, IP, WB, ELISA

Cited Applications:

WB, IHC

Species Specificity:

human **Cited Species:**

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, IP: HEK-293 cells,

IHC: human gliomas tissue, human liver cancer tissue,

human stomach cancer tissue

IF: HeLa cells,

Background Information

URG4 (upregulated gene 4), also known as upregulator of cell proliferation (URGCP), is an oncogene which is involved in the development and progression of various tumors. URG4 is upregulated in hepatocellular carcinoma (HCC), ovarian cancer, and other types of cancer. Overexpression of URG4 not only results in tumour progression but also in metastasis and recurrence.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|-------------|-----------|-------------------|-------------|
| Yayun Liu | 32552851 | J Orthop Surg Res | IHC,WB |
| Yuanxi Leng | 37832904 | Bone | WB |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




HEK-293 cells were subjected to SDS PAGE followed by western blot with 11998-1-AP (URG4 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human gliomas using 11998-1-AP (URG4 antibody) at dilution of 1:50 (under 10x lens).



IP result of anti-URG4 (IP:11998-1-AP, 4ug; Detection:11998-1-AP 1:300) with HEK-293 cells lysate 880ug.



WB result of URG4 antibody (11998-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-URG4 transfected HEK-293 cells.



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using URG4 antibody (11998-1-AP) at dilution of 1:200 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).