For Research Use Only

TINAGL1 Polyclonal antibody

Catalog Number:12077-1-AP


Featured Product 8 Publications




Basic Information	Catalog Number: GenBank Accession Number: 12077-1-AP BC009048		Purification Method: Antigen affinity purification			
	Concentration:		GeneID (NCBI): 64129		Recommended Dilutions: WB 1:300-1:1500 IP 0.5-4.0 ug for 1.0-3.0 mg of total	
	600 ug/ml					
	Source: Rabbit	UNIPROT ID: Q9GZM7		protein lysate IHC 1:50-1:500		
	Isotype: IgG Immunogen Catalog Number: AG2721	Full Name: tubulointerstit like 1	tubulointerstitial nephritis antigen-		00	
		Observed MW: 52 kDa				
Applications	Tested Applications:	Positive Contro		rols:		
	WB, IHC, IF/ICC, IF-P, IP, ELISA Cited Applications:		WB : human p tissue	WB : human placenta tissue, human adre tissue IP : mouse heart tissue,		
	WB, IHC, IP		IP: mouse he			
	human, mouse, rat		liver cancer tissue, liver cancer tissue,			
					human, mouse	
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0	atively, antigen				
	Background Information	Tubulointerstitial nephritis antig putative component of the ECM. 1 heart and adrenal glands. Low lev fertility.	Finagl1 is most com	monly associated with	n embryonic devel	opment, including t
Notable Publications	Author	Pubmed ID	Journal		Application	
	Yoriko Sato	35597451	Biochim Biophys Acta Mol Cell Res		WB	
	Lu Sun	30697069	Cancer Manag Res		WB	
	Wen-Qing Tian	35199864	FASEB J		WB,IHC	

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 12077-1-AP (TINAGL1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed human liver cancer tissue using TINAGL1 antibody (12077-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



human placenta tissue were subjected to SDS PAGE followed by western blot with 12077-1-AP (TINAGL1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-TINAGL1 (IP:12077-1-AP, 4ug; Detection:12077-1-AP 1:500) with mouse heart tissue lysate 4000ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using TINAGL1 antibody (12077-1-AP) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).