For Research Use Only

GOS2 Polyclonal antibody Catalog Number: 12091-1-AP Featured Product

Featured Product

15 Publications




Basic Information	Catalog Number: 12091-1-AP	GenBank Accession Number: BC009694		Purification Method: Antigen affinity purification	
	Size: 450 ug/ml	GenelD (NCBI): 50486 UNIPROT ID: P27469		Recommended Dilutions: IHC 1:50-1:500 IF/ICC 1:50-1:500	
	Source: Rabbit				
	lsotype: IgG	Full Name: G0/G1switch 2	2		
	Immunogen Catalog Number: AG2731	Calculated MV 11 kDa	V:		
Applications	Tested Applications: Positive Controls: IHC, IF/ICC, ELISA IIIC - mount liverations				
	Cited Applications: WB, IHC, IF, IP, CoIP, ChIP				
	Species Specificity: human, mouse				
	Cited Species: human, mouse, rat				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	G0S2 is G0/G1 switch protein 2. It is an all trans- retinoic acid (RA) target gene. G0S2 promotes apoptosis by bindin to BCL2, hence preventing the formation of protective BCL2-BAX heterodimers.				
Notable Publications	Author	Pubmed ID	Journal		Application
	Feng Ye	36106344	Toxicol Mech Metho	ods	IP,CoIP
	Nguyen T T Truong	32492632	Cytokine		WB
	Yogev Sela	35315913	Cancer Res		IHC
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an		7.3.		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 12091-1-AP (GOS2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 12091-1-AP (GOS2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed H9C2 cells using GOS2 antibody (12091-1-AP) at dilution of 1:200 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).