

For Research Use Only

GOSR2/Membrin Polyclonal antibody

Catalog Number:12095-1-AP

Featured Product

2 Publications



Basic Information

Catalog Number:

12095-1-AP

Size:

1000 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2736

GenBank Accession Number:

BC009710

GeneID (NCBI):

9570

UNIPROT ID:

O14653

Full Name:

golgi SNAP receptor complex member

2

Calculated MW:

212 aa, 25 kDa

Observed MW:

25 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:3000

IHC 1:200-1:800

IF/ICC 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, human liver tissue, mouse liver tissue, mouse stomach tissue, LO2 cells, rat liver tissue

IHC: human stomach tissue,

IF/ICC: HeLa cells, HepG2 cells

Background Information

Golgi SNAP receptor complex member 2 (GOSR2), also known as GS27 or Membrin, is a member of the soluble NSF attachment protein receptor (SNARE) family of vesicle docking proteins. GOSR2 is localized in Golgi apparatus. It is involved in transport of proteins from the cis/medial-Golgi to the trans-Golgi network.

Notable Publications

Author	Pubmed ID	Journal	Application
Xihua Yue	34876695	Commun Biol	WB
Ying Xue Xie	35995799	Nat Commun	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of GOSR2/Membrin antibody (12095-1-AP; 1:5000; incubated at room temperature for 1.5 hours) with sh-Control and sh-GOSR2/Membrin transfected Jurkat cells.



Various lysates were subjected to SDS PAGE followed by western blot with 12095-1-AP (GOSR2/Membrin antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using GOSR2/Membrin antibody (12095-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).



Immunohistochemical analysis of paraffin-embedded human stomach tissue slide using 12095-1-AP (GOSR2/Membrin antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).