

For Research Use Only

NDRG4 Polyclonal antibody

Catalog Number: 12184-1-AP

3 Publications



Basic Information

Catalog Number:

12184-1-AP

Size:

400 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG3029

GenBank Accession Number:

BC011795

GeneID (NCBI):

65009

UNIPROT ID:

Q9ULP0

Full Name:

NDRG family member 4

Calculated MW:

339 aa, 37 kDa

Observed MW:

37 kDa, 38 kDa and 41 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:3000

IHC 1:50-1:500

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : human brain tissue, mouse kidney tissue

IHC : human medulloblastoma tissue, human colon tissue, human gliomas tissue

IF/ICC : HepG2 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Ting Tang	34115542	DNA Cell Biol	WB
Hao-Hong Shi	33298240	BMB Rep	WB
Brian P Hermann	30404016	Cell Rep	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




human brain tissue were subjected to SDS PAGE followed by western blot with 12184-1-AP (NDRG4 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HepG2 cells, using NDRG4 antibody 12184-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffin-embedded human medulloblastoma tissue slide using 12184-1-AP (NDRG4 Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human medulloblastoma tissue slide using 12184-1-AP (NDRG4 Antibody) at dilution of 1:200 (under 40x lens).