

## SH3BGRL3 Polyclonal antibody

Catalog Number: 12210-1-AP

1 Publications

## Basic Information

## Catalog Number:

12210-1-AP

## Size:

900 µg/ml

## Source:

Rabbit

## Isotype:

IgG

## Immunogen Catalog Number:

AG2857

## GenBank Accession Number:

BC030135

## GeneID (NCBI):

83442

## UNIPROT ID:

Q9H299

## Full Name:

SH3 domain binding glutamic acid-rich protein like 3

## Calculated MW:

93 aa, 10 kDa

## Observed MW:

10 kDa

## Purification Method:

Antigen affinity purification

## Recommended Dilutions:

WB 1:500-1:2000

IHC 1:400-1:1600

## Applications

## Tested Applications:

IHC, WB, ELISA

## Cited Applications:

WB

## Species Specificity:

human, mouse, rat

## Cited Species:

human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

## Positive Controls:

WB : PC-3 cells, U-251 cells

IHC : human stomach cancer tissue,

## Background Information

SH3BGRL3, SH3 domain-binding glutamic acid-rich-like protein, could act as a modulator of glutaredoxin biological activity. It may play a role in cytoskeleton organization (PMID: 34380438). SH3BGRL3 acts as a potential prognostic biomarker for urothelial carcinoma and a novel binding partner of epidermal growth factor receptor (PMID: 26286913).

## Notable Publications

Author	Pubmed ID	Journal	Application
Kathleen W Clancy	28485572	ACS Chem Biol	WB

## Storage

## Storage:

Store at -20°C. Stable for one year after shipment.

## Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 12210-1-AP (SH3BGRL3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human stomach cancer tissue slide using 12210-1-AP (SH3BGRL3 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human stomach cancer tissue slide using 12210-1-AP (SH3BGRL3 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).