For Research Use Only

PINX1 Polyclonal antibody Catalog Number:12368-1-AP Featured Product

Featured Product

10 Publications





Basic Information	Catalog Number: 12368-1-AP	GenBank Accession Number: BC015479		Purification Method: Antigen affinity purification	
	Size: 540 µg/ml	Genel D (NCBI): 54984		Recommended Dilutions: WB 1:2000-1:12000	
	Source: Rabbit	Durce: UNIPROT ID:		IF/ICC 1:50-1:500	
	Isotype: Full Name: IgG PIN2-interacting protein 1				
	Immunogen Catalog Number:Calculated MW:AG3043328 aa, 37 kDa				
	Observed MW: 40 kDa				
Applications	Tested Applications: WB, IF/ICC, ELISA	Positive Controls:			
	Cited Applications:		WB : Jurkat cells, A431 cells, C6 cells, NIH/3T3 cells, HeLa cells		
	WB, IHC IF/ICC : HeLa cells, Species Specificity: human, mouse, rat				
	Cited Species: human				
Background Information	PINX1, also named as LPTL, LPTS and Protein 67-11-3, is a Liver-related putative tumor suppressor. It belongs to the PINX1 family. PINX1 is a microtubule-binding protein essential for faithful chromosome segregation. It mediates TRF 1 and TERT accumulation in nucleolus and enhances TRF 1 binding to telomeres. PINX1 inhibits telomerase activity. It may inhibit cell proliferation and act as tumor suppressor. PINX1 has been identified as a critical telomerase inhibitor and proposed to be a putative tumor suppressor gene. Loss of PinX1 has been found in a large variety of malignancies, but the expression status in epithelial ovarian tumors has not been investigated.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	JiHoon Kang	34873474	Am J Cancer Res	WB,IHC	
	Xiao-Peng Tian	25045845	Cancer Lett	WB,IHC	
	JiHoon Kang	30026037	Hum Pathol	IHC	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 12368-1-AP (PINX1 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours. Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 12368-1-AP (PINX1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).