For Research Use Only

USP3 Polyclonal antibody

Catalog Number: 12490-1-AP

Featured Product

11 Publications



Basic Information

Catalog Number:

12490-1-AP

BC018113

Size:

GeneID (NCBI):
1000 ug/ml

9960

Source:

UNIPROT ID:
Rabbit

Q9Y6I4

Isotype:

GenBank Accession Number:

BC018113

UNCBI):
9960

UNIPROT ID:
Full Name:

gG ubiquitin specific peptidase 3

Immunogen Catalog Number:Calculated MW:AG3085520 aa, 59 kDaObserved MW:

53-59 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, IP, CoIP Species Specificity: human, mouse Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, K-562 cells, RAW264.7, HepG2 cells,

Purification Method:

WB 1:1000-1:4000

protein lysate

IHC 1:400-1:1600

IF/ICC 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Jurkat cells

IP: mouse liver tissue,

IHC: human stomach cancer tissue,

IF/ICC: HeLa cells, HepG2 cells, MCF-7 cells

Background Information

USP3(Ubiquitin carboxyl-terminal hydrolase 3) belongs to the peptidase C19 family. It may regulate the DNA damage response (DDR) checkpoint through deubiquitination of H2A at DNA damage sites. USP3 is implicated as a novel chromatin modifier in the maintenance of genome integrity. This protein has 2 isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
Wanxin Zhuang	36050480	Cell Mol Immunol	WB,IF,IP,CoIP
Ke Shi	34758762	BMC Cancer	WB
Simin Zhao	36574218	Chin Med J (Engl)	WB,CoIP

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12490-1-AP (USP3 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




WB result of USP3 antibody (12490-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP3 transfected K-562 cells.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using 12490-1-AP (USP3 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 12490-1-AP (USP3 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



IP result of anti-USP3 (IP:12490-1-AP, 4ug; Detection:12490-1-AP 1:500) with mouse liver tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 12490-1-AP (USP3 antibody) at dilution of 1:800 (under 20x lens). Heat mediated antigen retrieval with Sodium Citrate buffer (pH 6.0).