For Research Use Only

## RGS1 Polyclonal antibody, PBS Only

Catalog Number: 12547-1-PBS

Featured Product




Basic Information	Catalog Number: 12547-1-PBS	GenBank Accession Number: BC015510	Purification Method: Antigen affinity purification
	Size: 1 mg/ml	GenelD (NCBI): 5996	
	Source: Rabbit	UNIPROT ID: Q08116	
	Isotype: IgG	Full Name: regulator of G-protein signaling 1	
	Immunogen Catalog Number: AG3315	Calculated MW: 196 aa, 22 kDa	
		Observed MW: 30 kDa	
Applications	Tested Applications: WB, IHC, Indirect ELISA		
	Species Specificity: human, mouse, rat		
Background Information	RGS1 (Regulator of G-protein signaling 1) is also named as 1R20, BL34 and IER1. RGS1 encodes a member of the regulator of G-protein signaling family, which can act as a GTPase-activating protein (GAP), increasing the rate of conversion of the GTP to GDP, driving G-protein into its inactive GDP-bound form, hence attenuating or turning off G-protein-coupled receptor signaling (PMID: 8774882). RGS1 is highly expressed in immune cells including T cells, B cells, natural killer (NK) cells, dendritic cells and monocytes, suggesting a role for RGS1 in immune cell regulation (PMID: 34956194). RGS1 was highly expressed in tumor tissues and correlated with shorter overall survival, which also appeared in several previous studies, including multiple myeloma, melanoma, nonsmall cell lung cancer, gastric cancer, diffuse large B-cell lymphoma (PMID: 34956194). RGS1 protein, located at the cytoplasm and membrane, is enriched in tumor tissues compared with normal tissues. RGS1 was identified as a HIF-dependent hypoxia target that dampens cell migration and signal transduction (PMID: 24686421).		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	icks. Upon receipt, store it immediatel	y at −80°C


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 12547-1-AP (RGS1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 12547-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 12547-1-AP (RGS1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 12547-1-PBS in a different storage buffer formulation.



WB result of RGS1 antibody (12547-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-RGS1 transfected HepG2 cells. This data was developed using the same antibody clone with 12547-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 12547-1-AP (RGS1 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Sodium Citrate buffer (pH 6.0). This data was developed using the same antibody clone with 12547-1-PBS in a different storage buffer formulation.