For Research Use Only

FUT8 Polyclonal antibody

Catalog Number:12560-1-AP 5 Publications



Basic Information

Catalog Number: 12560-1-AP Concentration: 800 ug/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG3280

66 kDa
Observed MW:
66-70 kDa

GenBank Accession Number:

fucosyltransferase 8 (alpha (1,6)

BC025385

GeneID (NCBI):

UNIPROT ID:

fucosyltransferase)

Calculated MW:

Q9BYC5 Full Name: Purification Method: Antigen affinity purification Recommended Dilutions: IHC 1:300-1:1200

Applications

Tested Applications:

IHC, ELISA
Cited Applications:

WB, IHC

Species Specificity:

human
Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IHC: human stomach cancer tissue, human lung cancer

Background Information

Fucosyltransferase 8 (FUT8) is GDP-fucose-glycoprotein fucosyltransferase and is localized in Golgi apparatus. FUT8 is involved in protein glycosylation by catalyzing the addition of fucose in alpha 1-6 linkage to the first GlcNAc residue, next to the peptide chains in N-glycans. FUT8 may be involved in human aging by regulating protein N-glycosylation and in the molecular pathogenesis of human pulmonary emphysema (PE).

Notable Publications

Author	Pubmed ID	Journal	Application
Fengzhou Li	32266093	Am J Cancer Res	
Hana Shimoyama	32099910	Biochem Biophys Rep	WB,IHC
Siyao Wang	31381176	Clin Exp Pharmacol Physiol	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 12560-1-AP (FUT8 antibody) at dilution of 1:600 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 12560-1-AP (FUT8 antibody) at dilution of 1:600 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).