For Research Use Only

AK3 Polyclonal antibody

Catalog Number:12562-1-AP 2 Publications



Basic Information

Catalog Number: 12562-1-AP

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG3146

GenBank Accession Number:

BC013771 GeneID (NCBI): 50808 **UNIPROT ID:** Q9UIJ7 Full Name: adenylate kinase 3

Calculated MW: 227 aa, 26 kDa Observed MW:

26 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB: 1:5000-1:50000 IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:20-1:200 IF/ICC: 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HepG2 cells, Y79 cells, LO2 cells, mouse heart tissue, mouse kidney tissue, rat heart tissue, rat kidney

IP: mouse kidney tissue,

IHC: human pancreas cancer tissue, human heart

tissue

IF/ICC: HepG2 cells,

Background Information

AK3(Adenylate kinase 3) is also named as AK3L1, AK6, AKL3L and belongs to the adenylate kinase family. It is located in the mitochondrial matrix and is a GTP:AMP phosphotransferase(PMID:2546792). AK3 can be detected AK3 at an apparent molecular mass of 28 kD by western blot analysis and subcellular fractionation of mouse liver and kidney detected Ak3 in the mitochondrial fraction(PMID:11485571). This antibody may also recognize AK4 due to the high homology.

Notable Publications

Author	Pubmed ID	Journal	Application
Wei-Yan Qin	32196830	J Gene Med	WB
Yue Li	31059086	Mol Med Rep	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12562-1-AP (AK3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.


Various lysates were subjected to SDS PAGE followed by western blot with 12562-1-AP (AK3 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer using 12562-1-AP (AK3 antibody) at dilution of 1:50 (under 10x lens)



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using AK3 antibody (12562-1-AP) at dilution of 1:400 and Coralite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).



IP result of anti-AK3 (IP:12562-1-AP, 3ug; Detection:12562-1-AP 1:500) with mouse kidney tissue lysate 4400ug.