For Research Use Only

FDX1 Polyclonal antibody

Catalog Number:12592-1-AP

Featured Product

40 Publications




Basic Information	Catalog Number: 12592-1-AP	GenBank Acc BC017063	ession Number:	Purification Method: Antigen affinity purification
	Size: 1000 μg/ml	GeneID (NCBI): 2230		Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF 1:200-1:800
	Source: UNIPROTID: Rabbit P10109			
	Isotype: Full Name: IgG ferredoxin 1			
	Immunogen Catalog Number: Calculated MW: AG3301 184 aa, 19 kDa			
		Observed MV 14 kDa	Observed MW:	
Applications	Tested Applications:			
	IF/ICC, IHC, WB, ELISA WB : A549 c Cited Applications: mouse testi		ells, HEK-293 cells, HepG2 cells, PC-3 cells s tissue	
	WB, IF, IHC Species Specificity:	IHC : human ki ovary tumor ti		kidney tissue, human liver tissue, humar tissue
	human, mouse IF : HepG2 cells,			
	Cited Species: human, rat, sheep, mouse			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	FDX1(Ferredoxin-1) is also named as ADX, FDX, YAH1, LOH11CR1D and belongs to the adrenodoxin/putidaredoxin family. It is a small iron-sulfur protein that transfers electrons from NADPH through ferredoxin reductase to a terminal cytochrome P450 and it can only reduce mitochondrial CYP enzymes that are essential in adrenal steroidogenesis, bile acid formation, and vitamin D synthesis. The full length has a transit peptide of 60 amino acids.			
Notable Publications	Author	Pubmed ID	Journal	Application
	Longfei Yang	36210836	Front Pharmacol	WB
	Xing Huang	36186457	Front Genet	IHC,WB
				MIDILLIC
	Wei-Tong Zhang	36105937	Biomed Res Int	WB,IHC


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12592-1-AP (FDX1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




WB result of FDX1 antibody (12592-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FDX1 transfected HEK-293 cells.




WB result of FDX1 antibody (12592-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FDX1 transfected HepG2 cells.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 12592-1-AP (FDX1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 12592-1-AP (FDX1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using FDX1 antibody (12592-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).