

For Research Use Only

MYCBPAP Polyclonal antibody

Catalog Number: 12763-1-AP



Basic Information

Catalog Number: 12763-1-AP	GenBank Accession Number: BC028393	Purification Method: Antigen affinity purification
Size: 327 µg/ml	GeneID (NCBI): 84073	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF 1:10-1:100
Source: Rabbit	UNIPROT ID: Q8TBZ2	
Isotype: IgG	Full Name: MYCBP associated protein	
Immunogen Catalog Number: AG3419	Calculated MW: 947 aa, 108 kDa	
	Observed MW: 108 kDa	

Applications

Tested Applications:
IF/ICC, IHC, WB, ELISA

Species Specificity:
human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : human placenta tissue,
IHC : human pancreas cancer tissue,
IF : HepG2 cells,

Background Information

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




human placenta tissue were subjected to SDS PAGE followed by western blot with 12763-1-AP (MYCBPAP antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HepG2 cells, using MYCBPAP antibody 12763-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffin-embedded human pancreas cancer tissue slide using 12763-1-AP (MYCBPAP antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human pancreas cancer tissue slide using 12763-1-AP (MYCBPAP antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).