For Research Use Only

ILK Polyclonal antibody

Catalog Number:12955-1-AP 11 Publications



Basic Information

Catalog Number: 12955-1-AP Size:

450 µg/ml Source: Rabbit Isotype:

integrin-linked kinase Immunogen Catalog Number:

Observed MW:

51-59 kDa

BC001554

GeneID (NCBI):

UNIPROT ID:

Full Name:

Calculated MW:

451 aa, 59 kDa

Q13418

GenBank Accession Number:

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Applications

Tested Applications: WB, IP, IHC, ELISA Cited Applications: WB, IHC, IF, IP

Species Specificity: human, mouse, rat **Cited Species:**

human, mouse, rat, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse brain tissue, mouse kidney tissue

IP: mouse kidney tissue,

IHC: human prostate cancer tissue,

Background Information

Integrin-linked kinase (ILK) is an ankyrin-repeat containing serine-threonine protein kinase capable of interacting with the cytoplasmic domains of integrin β 1, β 2, and β 3 subunits and whose kinase activity is modulated by cell $extracellular\ matrix\ interactions\ (PMID: 9539744).\ This\ protein\ belongs\ to\ the\ protein\ kinase\ superfamily.\ It\ can\ be$ autophosphorylated on serine residues.

Notable Publications

Author	Pubmed ID	Journal	Application
Lan Lin	32485356	Int Immunopharmacol	WB
Ying Feng	33531984	J Cancer	WB
Q Zhou	30739146	Osteoporos Int	WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 12955-1-AP (ILK antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 12955-1-AP (ILK antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-ILK (IP:12955-1-AP, 4ug; Detection:12955-1-AP 1:800) with mouse kidney tissue lysate 4000ug.