For Research Use Only

MMP23B Polyclonal antibody

Catalog Number: 13020-1-AP

1 Publications



Basic Information

Catalog Number:

13020-1-AP

Size:

900 \(\mu \) g/ml

Source:

Rabbit

Corpspan="2">GeneID (NCBI):

WINPROT ID:

Rabbit

Corpspan="2">O75900

Full Name:

gG matrix metallopeptidase 23B

Immunogen Catalog Number:Calculated MW:AG4113390 aa, 44 kDaObserved MW:

46-60 kDa

Applications

Tested Applications: FC, IF/ICC, IHC, WB, ELISA

Cited Applications:

IHC

Species Specificity: human, mouse Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: A549 cells, HepG2 cells, mouse liver tissue, PC-3

Purification Method:

WB 1:500-1:1000 IHC 1:100-1:400

IF 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

cells

IHC: human ovary tumor tissue, human liver cancer

tissue

IF: HepG2 cells,

Background Information

MMP23B(matrix metallopeptidase 23B) is also named as MMP21, MMP22.It is a regulator in matrix remodeling and may be playing a role in enchondral bone formation and in regulation of cranial suture closure. It has 3 isoforms produced by alternative splicing with the molecular weight of 44KDa,48KDa and 46KDa,respectively.It also can be N-glycosylated.

Notable Publications

 Author
 Pubmed ID
 Journal
 Application

 Yexin Tong
 36434634
 J Hematol Oncol
 IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




A549 cells were subjected to SDS PAGE followed by western blot with 13020-1-AP (MMP23B antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 13020-1-AP (MMP23B Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 13020-1-AP (MMP23B Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 13020-1-AP (MMP23B antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HepG2 cells were stained with 0.2ug MMP23B antibody (13020-1-AP, red) and control antibody (blue). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500. Cells were fixed with 4% PFA and permeabilized with 0.1% Triton X-100.