

For Research Use Only

IP6K2 Polyclonal antibody

Catalog Number: 13155-1-AP



Basic Information

Catalog Number: 13155-1-AP	GenBank Accession Number: BC019694	Purification Method: Antigen affinity purification
Size: 167 µg/ml	GeneID (NCBI): 51447	Recommended Dilutions: WB 1:500-1:3600 IHC 1:200-1:800
Source: Rabbit	UNIPROT ID: Q9UHH9	
Isotype: IgG	Full Name: inositol hexakisphosphate kinase 2	
Immunogen Catalog Number: AG3786	Calculated MW: 426 aa, 49 kDa	
	Observed MW: 49 kDa	

Applications

Tested Applications:

IHC, WB, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : human adrenal gland tissue, human heart tissue, K-562 cells

IHC : human liver cancer tissue,

Background Information

IP6K2 (Inositol hexakisphosphate kinase 2) is also named as IHPK2, PiUS and belongs to the inositol phosphokinase (IPK) family. It converts inositol hexakisphosphate (InsP6) to diphosphoinositol pentakisphosphate (InsP7/PP-InsP5) and mediates apoptotic cell death via its translocation from the nucleus to the cytoplasm (PMID:21652713). IP6K2 regulates TP53 and protein kinase AKT signaling, and its aberrant increase in cells has been implicated in apoptosis and INS resistance (PMID:21262846). It has 6 isoforms produced by alternative splicing. This antibody recognizes the others except the 8 kDa isoform of IP6K2.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human adrenal gland tissue were subjected to SDS PAGE followed by western blot with 13155-1-AP (IP6K2 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 13155-1-AP (IP6K2 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).