For Research Use Only

VASH2 Polyclonal antibody

Catalog Number: 13303-1-AP 1 Publications



Basic Information

Catalog Number: 13303-1-AP

Size:
600 ug/ml
Source:
Rabbit
Isotype:
IgG

 Immunogen Catalog Number:
 Calculated MW:

 AG4121
 355 aa, 40 kDa

 Observed MW:

Observed MW: 30-34 kDa

GenBank Accession Number:

BC028194

79805

Q86V25 Full Name:

GeneID (NCBI):

UNIPROT ID:

vasohibin 2

Purification Method:

Antigen affinity purification
Recommended Dilutions:
WB 1:5000-1:50000

WB 1:5000-1:50000 IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB

Species Specificity: human, rat Cited Species:

rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HUVEC cells, BxPC-3 cells, L02 cells, SW 1990

cells, PANC-1 cells, PC-12 cells

IHC: human stomach cancer tissue, human liver cancer

tissue

IF/ICC: A549 cells,

Background Information

VASH2, also named as vasohibin 2, is an important pro-angiogenesis factor in solid tumor. It has been reported that VASH2 is expressed in mononuclear cells mobilized from bone marrow to promote angiogenesis. VASH2 also plays a key role in axon formation. VASH2 is localized as a nuclear type(with 311 amino acid residues) and cytoplasmic type (with 355 amino acid residues and low abundance). Cytoplasmic VASH2 is associated with carcinoma angiogenesis, while nuclear VASH2 may be associated with cell proliferation. This antibody recognizes both the nuclear and cytoplasmic isoforms.(PMID:23615928; 19204325; 31235911; 26177649)

Notable Publications

Alexia Vite 36006489 Basic Res Cardiol WB	Author	Pubmed ID	Journal	Application
	Alexia Vite	36006489	Basic Res Cardiol	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13303-1-AP (VASH2 antibody) at dilution of 1:25000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A549 cells using VASH2 antibody (13303-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 13303-1-AP (VASH2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 13303-1-AP (VASH2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).