For Research Use Only

MUC20 Polyclonal antibody

Catalog Number:13380-1-AP

1 Publications




Basic Information	Catalog Number: 13380-1-AP	GenBank Accession No BC029267		ion Method: affinity purification	
	Size: 400 µg/ml	GeneID (NCBI): 200958		Recommended Dilutions: WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: Rabbit	UNIPROT ID: Q8N307			
	lsotype: IgG	Full Name: mucin 20, cell surface	Full Name: mucin 20, cell surface associated		
	Immunogen Catalog Number: AG4205	Calculated MW: 55 kDa, 71 kDa			
		Observed MW: 70-75 kDa			
Applications	Tested Applications:	Positive Controls:			
	IP, WB, ELISA Cited Applications: WB		WB : human liver tissue, human kidney tissue IP : mouse liver tissue,		
	Species Specificity: human, mouse				
	Cited Species: human				
Background Information	MUC 20 contains serine, threonine, and proline-rich repeats in its extracellular domain and is likely to be extensively O-glycosylated. MUC 20 blocks GRB2 recruitment to MET thus suppressing the GRB2-RAS pathway and inhibiting HGF-induced proliferation of MMP1 and MMP9 expression (PMID: 15314156). MUC 20 is highly expressed in the kidney and localized in the proximal tubules but not in the glomerulus or distal tubules(PMID: 14565953). MUC 20 was detected in most of the male urogenital tract epithelia, except for epididymis(PMID: 16997931). The expression of MUC 20 is up-regulated in the kidneys of patients with immunoglobulin A nephropathy, in an anima model of lupus nephritis, and in mice with acute renal injury caused by cisplatin administration or unilateral ureteral obstruction(PMID: 14565953).				
Notable Publications	Author	Pubmed ID Journ	al	Application	
	Xiaobin Wang	38439082 J Exp	Clin Cancer Res	WB	
Storage	Storage: Store at -20°C. Stable for one yes Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	nd 50% glycerol pH 7.3.			

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





IP result of anti-MUC20 (IP:13380-1-AP, 4ug; Detection:13380-1-AP 1:300) with mouse liver tissue lysate 6000 ug. human liver tissue were subjected to SDS PAGE followed by western blot with 13380-1-AP (MUC20 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.