## For Research Use Only

# TRPV6 Polyclonal antibody

Catalog Number: 13411-1-AP

9 Publications



**Basic Information** 

Catalog Number: 13411-1-AP Size:

800 µ g/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG4060

GenBank Accession Number:

BC034814 GeneID (NCBI): 55503 UNIPROT ID: Q9H1D0 Full Name:

transient receptor potential cation channel, subfamily V, member 6

Calculated MW: 725 aa, 83 kDa Observed MW: 83 kDa, 70 kDa Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IF 1:10-1:100

**Applications** 

Tested Applications: IF/ICC, IP, WB,ELISA Cited Applications:

WB. IF

Species Specificity: human, mouse, rat Cited Species: human, mouse Positive Controls:

WB: human placenta tissue, mouse kidney tissue, PC-3

cells

IP: mouse kidney tissue,

IF: Hela cells,

# **Background Information**

TRPV6, also named as CAT1 or ECaC2, is a member of the transient receptor potential (TRP) family of membrane proteins. Unlike most TRP channels, TRPV6 and its closest relative, TRPV5, are calcium-selective channels. TRPV6 is highly expressed in the proximal intestine, placenta and exocrine tissues (PMID: 12869611). It is probably involved in calcium absorption in various tissues, including calcium reabsorption in kidney. TRPV6 is overexpressed in some cancers and exhibits oncogenic potential.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Chenyue Liu	30459613	Front Pharmacol	WB
Jian-Hao Liu	33142290	Pharmacology	WB
Zhichao Li	29758225	J Mol Cell Cardiol	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**



IP result of anti-TRPV6 (IP:13411-1-AP, 4ug; Detection:13411-1-AP 1:300) with mouse kidney tissue lysate 4000ug.



human placenta tissue were subjected to SDS PAGE followed by western blot with 13411-1-AP (TRPV6 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of Hela cells, using TRPV6 antibody 13411-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).