For Research Use Only

CYP2J2 Polyclonal antibody

Catalog Number:13562-1-AP

5 Publications



Basic Information

Catalog Number: 13562-1-AP Size: 600 µg/ml

Source: Rabbit Isotype:

IgG cytochrome P450, family 2, subfamily
Immunogen Catalog Number: J, polypeptide 2

AG4435 Calculated MW: 502 aa, 58 kDa
Observed MW:

58-65 kDa

BC032594

GeneID (NCBI):

UNIPROT ID:

P51589 Full Name:

GenBank Accession Number:

Applications

Tested Applications:
IHC, WB, ELISA
Cited Applications:
WB, IF, IHC
Species Specificity:
human, mouse, rat

Cited Species: human, rat Note-IHC: su

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HUVEC cells, LO2 cells, mouse skeletal muscle tissue, mouse heart tissue, HepG2 cells, rat heart tissue IHC: human liver tissue, mouse heart tissue, human

Purification Method:

WB 1:1000-1:8000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

liver cancer tissue, human heart tissue

Background Information

CYP2J2(Cytochrome P450 2J2) belongs to the cytochrome P450 family. This enzyme metabolizes arachidonic acid predominantly via a NADPH-dependent olefin epoxidation to all four regioisomeric cis-epoxyeicosatrienoic acids. The human CYP2J member, CYP2J2, is shown to be expressed in several tissues such as the small intestine, liver, heart, kidney, and lung and may play a role in the oxidative bioactivation of arachidonic acid(PMID:12386130).

Notable Publications

Author	Pubmed ID	Journal	Application
Xuming Yu	31671426	Pharmacology	WB
Ning Xu	35659036	J Hematol Oncol	IHC
Ye Zhu	31954161	Life Sci	WB,IHC,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

W: ptgcn.cor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13562-1-AP (CYP2)2 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 13562-1-AP (CYP2J2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 13562-1-AP (CYP2J2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 13562-1-AP (CYP2J2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 13562-1-AP (CYP2J2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).