For Research Use Only

PRDX6 Polyclonal antibody

Catalog Number:13585-1-AP

Featured Product

26 Publications




Basic Information	Catalog Number: 13585-1-AP	GenBank Access BC035857	ion Number:	Purification Method: Antigen affinity purification	
	Size:	ize: GenelD (NCBI):		Recommended Dilutions: WB 1:2000-1:12000 IP 0.5-4.0 ug for 1.0-3.0 mg of total	
	550 µg/ml 9588				
	Source: Rabbit	UNIPROT ID: P30041		protein lysate	
	Isotype: IgG	Full Name: peroxiredoxin 6 Calculated MW: 224 aa, 25 kDa Observed MW: 25-30 kDa		IHC 1:20-1:200 IF 1:50-1:500	
	Immunogen Catalog Number: AG4512				
Applications	Tested Applications: IF/ICC, IHC, IP, WB, ELISA		Positive C	ve Controls:	
	Cited Applications: cells, He IF, IHC, WB IP : HeLi Species Specificity:		cells, HepO	-SY5Y cells, A549 cells, HeLa cells, HAP1, K-562 epG2 cells, mouse liver tissue, rat liver tissue a cells, HAP1 cells	
	human, mouse, rat			an brain tissue,	
	Cited Species: IF : HeLa cells, HAP1 cells human, rat, mouse			ells, HAP1 cells	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	PRDX6 (Peroxiredoxin-6), also named as AOP2 or KIAA0106, is a unique member of the peroxiredoxin family of antioxidants. PRDX6 is highly expressed in liver and protects cells from oxidative damage by reducing H2O2 and various lipid Peroxides (PMID: 17382207). It can form a dimer(PMID:20500660).PRDX6 is expressed in all major organs, with a particularly high level in lung (PMID:15890616). Prdx6 is detected at approximately 24 to 28 kDa, and can be monosumoylated with the molecular mass of about 40 kDa (PMID: 24910119).				
Notable Publications	Author	Pubmed ID J	ournal	Application	
	Jiale Sun		ront Oncol	ІНС	
	Chenhao Xu		Bioorg Chem	WB	
	Siddhesh Aras	25315652 N	Aitochondrion	WB	
Storage	Storage: Store at -20°C. Stable for one ye Storage Buffer. PBS with 0.02% sodium azide a				


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13585-1-AP (PRDX6 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.




HAP1 (WT and PRDX6 KO) lysates prepared with RIPA buffer, 25 µ g protein loaded. 13585-1-AP incubated at 1:2000 at 4°C overnight in 5% BSA in TBST. Ponceau stained transfers shown on right. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency.



WB result of PRDX6 antibody (13585-1-AP; 1:10000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PRDX6 transfected HeLa cells.




Various lysates were subjected to SDS PAGE followed by western blot with 13585-1-AP (PRDX6 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




SM=10% starting material; UB=10% unbound fraction; IP=immunoprecipitate.


HAP1 lysates prepared and IP of peroxidoxin 6 performed using 2.0 µ g of 13585-1-AP coupled to protein A- Sepharose beads. Ponceau stained transfers shown for each blot. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency.




IP result of anti-PRDX6 (IP:13585-1-AP, 3ug; Detection:13585-1-AP 1:500) with HeLa cells lysate 2800ug.




HAP1 WT cells (yellow outline) and PRDX6 KO cells (red outline) labelled with a green or a far red fluorescence dye, respectively. Cells fixed with 4% PFA and stained with 13585-1-AP at 1:300 plus DAPI. Bars = 10 μ m. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency.



Immunofluorescent analysis of (-20 $^{\rm C}$ Ethanol) fixed HeLa cells using 13585-1-AP (PRDX6 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded human brain using 13585-1-AP (PRDX6 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human brain using 13585-1-AP (PRDX6 antibody) at dilution of 1:50 (under 40x lens).