For Research Use Only

CAMKK1 Polyclonal antibody

Catalog Number: 13624-1-AP



Basic Information

Catalog Number: 13624-1-AP Size: 750 µg/ml

Source: UNIPROT ID: Rabbit Q8N5S9
Isotype: Full Name:

IgG calcium/calmodulin-dependent Immunogen Catalog Number: protein kinase kinase 1, alpha

4534 Calculated MW: 520 aa, 57 kDa

Observed MW: 63 kDa

BC031647

84254

GeneID (NCBI):

GenBank Accession Number:

Purification Method: Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:100-1:1000

IHC: human gliomas tissue, human stomach tissue

Applications

Tested Applications: Positive Controls:
IHC, IP, WB,ELISA
WB: Jurkat cells,
Species Specificity:
human, mouse, rat
IP: Jurkat cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Calcium/calmodulin-dependent protein kinase kinase 1 catalyzes the phosphorylation and activation of Ca(2+)/calmodulin kinase (CaMK) as an upstream component of the CaMK cascade that has been implicated in neuronal gene transcription, synaptic plasticity, and long-term memory consolidation. CAMKK1 has two isoforms of 56kda and 58kda and involved in regulating cell apoptosis, promotes cell survival by phosphorylating AKT1/PKB that inhibits pro-apoptotic BAD/Bcl2-antagonist of cell death .Researches showed that Camkk1 plays a selective role in contextual fear memory. This 66-68kda protein can be phosphorylated (probably antophosphorylation) (PMID:7961813). This antibody recognize the N-terminal of CAMKK1.

Storage

Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Jurkat cells were subjected to SDS PAGE followed by western blot with 13624-1-AP (CAMKK1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13624-1-AP (CAMKK1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13624-1-AP (CAMKK1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-CAMKK1 (IP:13624-1-AP, 4ug; Detection:13624-1-AP 1:1000) with Jurkat cells lysate 4000ug.