

For Research Use Only

SLC9A9 Polyclonal antibody

Catalog Number: 13718-1-AP

4 Publications



Basic Information

Catalog Number:

13718-1-AP

Size:

450 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG4660

GenBank Accession Number:

BC035779

GeneID (NCBI):

285195

UNIPROT ID:

Q8IVB4

Full Name:

solute carrier family 9
(sodium/hydrogen exchanger),
member 9

Calculated MW:

645 aa, 73 kDa

Observed MW:

66-73 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:600

IHC 1:50-1:500

IF/ICC 1:20-1:200

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, ColP

Species Specificity:

human

Cited Species:

human

**Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (*) Alternatively, antigen
retrieval may be performed with citrate
buffer pH 6.0**

Positive Controls:

WB : Raji cells, HeLa cells, HepG2 cells

IHC : human tonsillitis tissue, human liver cancer
tissue

IF/ICC : HepG2 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Yanli Zhang-James	30927234	Atten Defic Hyperact Disord	WB, ColP
Lina Yang	26755066	Am J Med Genet B Neuropsychiatr Genet	WB
Daniela M Gomez Zubieta	29268774	Cell Commun Signal	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Raji cells were subjected to SDS PAGE followed by western blot with 13718-1-AP (SLC9A9 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 13718-1-AP (SLC9A9 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed HepG2 cells using 13718-1-AP (SLC9A9 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).