## For Research Use Only

# Histone H3.3 Polyclonal antibody

Catalog Number: 13754-1-AP

Featured Product

11 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 13754-1-AP BC038989 GeneID (NCBI): Size: 850 ug/ml 3020

**UNIPROT ID:** Source: Rabbit P84243 Isotype: Full Name:

H3 histone, family 3A Calculated MW: Immunogen Catalog Number: AG4696 136 aa, 15 kDa Observed MW:

15-17 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000

IHC 1:200-1:800

IF/ICC 1:400-1:1600

# **Applications**

**Tested Applications:** WB, IHC, IF/ICC, ELISA Cited Applications:

WB. IF

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: A431 cells, HeLa cells, HEK-293 cells, mouse thymus tissue, mouse kidney tissue, mouse lung tissue

IHC: mouse testis tissue, IF/ICC: A431 cells,

# **Background Information**

Histones are the basic nuclear proteins responsible for the nucleosome structure of the chromosomal fiber. Five classes of histone genes have been reported, some of which are expressed only during S phase, while others are replication independent. The latter are referred to as replacement histones and are expressed in quiescent or terminally differentiated cells. [PMID: 8586426] Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. H3F3A is one replacement histone [PMID:16258499].

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Izabela Pereira Vatanabe	33670873	Int J Mol Sci	WB
Siwen Li	36057428	Fish Shellfish Immunol	IF
Xinyu Fu	33862463	Biochem Biophys Res Commun	WB

# Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 13754-1-AP (Histone H3.3 antibody) at dilution of 1:1000 incubated at 4 degree celsius over night.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 13754-1-AP (Histone H3.3 antibody) at dilution of 1:400 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using Histone H3.3 antibody (13754-1AP) at dilution of 1:800 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-phalloidin (red).