## For Research Use Only

## N-cadherin Polyclonal antibody

Catalog Number: 13769-1-AP 54 Publications



Basic Information	Catalog Number: 13769-1-AP	GenBank Accession Number: BC036470	Purification Method: Antigen affinity purification
	Size:	GeneID (NCBI):	Recommended Dilutions:
	320 µg/ml	1000	WB 1:500-1:1000
	Source:	UNIPROT ID:	IHC 1:50-1:500
	Rabbit	P19022 Full Name:	
	Isotype: IgG Immunogen Catalog Number: AG4752	cadherin 2, type 1, N-cadherin (neuronal)	
		Calculated MW: 906 aa, 100 kDa	
		Observed MW: 90 kDa, 140 kDa	
Applications	Tested Applications:	Positive Controls:	
	WB, IHC, ELISA	WB: HEK-2	293 cells, C6 cells
	Cited Applications: WB, IHC, IF	IHC : human heart tissue,	
	Species Specificity: human, mouse, rat		
	Cited Species: human, mouse, rat		
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		
Background Information	Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. N-cadherin (neural cadherin), also known as CDH2 (cadherin 2), is a classical member of the cadherin superfamily which also include E-, P-, R-, and B- cadherins. Expression of N-cadherin has been reported on various cell types including neurons, endothelial cells ar cardiac myocytes (PMID: 11282032; 9508779; 8125202). N-cadherin has functions in early brain morphogenesis, synaptogenesis and synaptic plasticity (PMID: 23321619).		
Notable Publications	Author	Pubmed ID Journal	Application
	Heling Dong	26360620 Endocrinology	WB, IHC, IF
		31583050 Oxid Med Cell Lor	
	Mustafa Hoca	31595775 Nutr Cancer	IHC
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data

HEK-293 cells were subjected to SDS PAGE followed by western blot with 13769-1-AP (Ncadherin antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded human heart tissue slide using 13769-1-AP (N-cadherin Antibody) at dilution of 1:50 (under 10x lens). Immunohistochemical analysis of paraffinembedded human heart tissue slide using 13769-1-AP (N-cadherin Antibody) at dilution of 1:50 (under 40x lens).