For Research Use Only

Radixin Polyclonal antibody

Catalog Number: 13790-1-AP 2 Publications



Basic Information

Catalog Number: 13790-1-AP

Size: 700 ug/ml BC047109 GeneID (NCBI): 5962

GenBank Accession Number:

UNIPROT ID: Source: Rabbit P35241 Full Name: Isotype: radixin

Calculated MW: Immunogen Catalog Number: AG4813 583 aa, 68 kDa

> Observed MW: 75 kDa

Purification Method:

IF/ICC 1:200-1:800

Antigen affinity purification Recommended Dilutions: WB 1:2000-1:12000 IHC 1:20-1:200

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB. IF

human, mouse, rat **Cited Species:** human, mouse

Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, mouse pancreas tissue, Y79 cells, rat pancreas tissue

IHC: human pancreas cancer tissue, human liver cancer tissue, human pancreas tissue

IF/ICC: MCF-7 cells,

Background Information

Radixin belongs to the ezrin-radixin-moesin (ERM) family of proteins which act as cross-linkers between membrane and actin cytoskeleton. ERM proteins provide structural links to strengthen the cell cortex and facilitate several key cellular processes, including membrane dynamics, substrate adhesion, cell survival, cell adhesion, and motility. The function of ERM proteins is highly reliant on phosphorylation induced conformational changes in response to chemokine and antigen stimulation.

Notable Publications

Author	Pubmed ID	Journal	Application
Mark Pines	28082118	Am J Pathol	IF
Xin Zhang	38924997	Drug Resist Updat	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13790-1-AP (Radixin antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer using 13790-1-AP (Radixin antibody) at dilution of 1:100 (under 10x Iens)



Immunohistochemical analysis of paraffinembedded human pancreas cancer using 13790-1-AP (Radixin antibody) at dilution of 1:100 (under 60) lans)



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using Radixin antibody (13790-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).