For Research Use Only

Serpin E1/PAI-1 Polyclonal antibody

Catalog Number: 13801-1-AP

Featured Product

76 Publications



Basic Information

Catalog Number: 13801-1-AP Source: Rabbit

Isotype: IgG

Immunogen Catalog Number:

AG4777

GenBank Accession Number:

BC010860
GeneID (NCBI):
5054
UNIPROT ID:
P05121
Full Name:

serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1

Calculated MW: 402 aa, 45 kDa Observed MW: 45 kDa Purification Method:

Antigen affinity purification

Recommended Dilutions: WB: 1:1000-1:4000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:200-1:800 IF/ICC: 1:200-1:800

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, CoIP Species Specificity:

human
Cited Species:
human, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HepG2 cells, HuH-7 cells, LO2 cells, MG-63 cells, U2OS cells, human placenta tissue

IP: HUVEC cells.

IHC: human placenta tissue, human lung cancer tissue,

human malignant melanoma tissue

IF/ICC: HepG2 cells,

Background Information

SERPINE1, also named as Plasminogen activator inhibitor type 1 (PAI-1), is a member of the serine protease inhibitor (SERPIN) superfamily. PAI-1 is the principal inhibitor of tPA and uPA, and hence is an inhibitor of fibrinolysis. Defects in this gene are the cause of plasminogen activator inhibitor-1 deficiency (PAI-1 deficiency), and high concentrations of the gene product are associated with thrombophilia. In western blotting, we got two bands 50 kDa and 90-110 kDa, and 90-110 kDa consistent with PAI-1 in complex with its target protease, t-PA (PMID: 21596853).

Notable Publications

Author	Pubmed ID	Journal	Application
Yasuhiro Nanri	31505128	Am J Respir Cell Mol Biol	IHC
Zengqiang Miao	31734109	J Microbiol Immunol Infect	WB
Muhammad Khan	36389725	Front Immunol	IHC

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.cor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13801-1-AP (Serpin E1/PAI-1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




IP result of anti-Serpin E1/PAI-1 (IP:13801-1-AP, 4ug; Detection:13801-1-AP 1:4000) with HUVEC cells lysate 840 ug.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 13801-1-AP (Serpin E1/PAI-1 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 13801-1-AP (Serpin E1/PAI-1 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using Serpin E1/PAI-1 antibody (13801-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).