For Research Use Only

DYNC1I1 Polyclonal antibody

Catalog Number: 13808-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

13808-1-AP

Size:

550 µg/ml

Source:

Rabbit

GenBank Accession Number:

BC022540

GeneID (NCBI):

1780

UNIPROT ID:

Rabbit

O14576

Isotype:

Full Name:

dynein, cytoplasmic 1, intermediate

Immunogen Catalog Number: chain 1

AG4810 Calculated MW:

645 aa, 71 kDa Observed MW: 71 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity:

IgG

human, mouse, rat Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: U-87 MG cells, mouse brain tissue, rat brain tissue

Purification Method:

WB 1:1000-1:8000 IHC 1:50-1:400

IF/ICC 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

IHC: human gliomas tissue,

IF/ICC: HUVEC cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Heidi A Neubauer	30250299	Oncogene	WB,IF,IHC
Yongchao Mou	34602978	Front Mol Neurosci	WB
Hou-Zhen Shi	38971132	Exp Gerontol	WB,IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




U-87 MG cells were subjected to SDS PAGE followed by western blot with 13808-1-AP (DYNC1l1 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13808-1-AP (DYNC 111 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13808-1-AP (DYNC 1l1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HUVEC cells using DYNC 111 antibody (13808-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L).