## For Research Use Only

## Septin 7 Polyclonal antibody

Catalog Number: 13818-1-AP

Featured Product

32 Publications

BC025987

**UNIPROT ID:** 

Q16181 Full Name:

septin 7

GenBank Accession Number:



**Basic Information** 

Catalog Number: 13818-1-AP

Size: GeneID (NCBI): 450 ug/ml 989

Source: Rabbit Isotype: IgG

Immunogen Catalog Number: Calculated MW: AG4907 51 kDa

Observed MW: 45-50 kDa Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:6000

WB 1:1000-1:6000 IHC 1:50-1:500 IF/ICC 1:50-1:500

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB, IF, CoIP, PLA Species Specificity: human, mouse, rat Cited Species:

human, mouse, rat, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A375 cells, HepG2 cells, Jurkat cells, rat testis

tissue, mouse testis tissue

IHC: human gliomas tissue, human lung cancer tissue

IF/ICC: HepG2 cells,

**Background Information** 

Septins (SEPTs) are members of a conserved family of cytoskeletal GTPases involved in various cellular processes, including cytoskeleton organization, cytokinesis, and membrane dynamics. SEPT7 is a unique septin required for filament formation. It has also been reported to be involved in migration and invasion in various cancer cells, including breast cancer and glioma.

**Notable Publications** 

Author	Pubmed ID	Journal	Application
Ravinder Kandi	34661963	EMBO Rep	IF,PLA
Aaron J Farrugia	27248291	Small GTPases	IF
Prasad V Phatarpekar	32841357	J Cell Biol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.cor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 13818-1-AP (SEPT7 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13818-1-AP (Septin 7 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13818-1-AP (Septin 7 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of Septin 7 antibody (13818-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Septin 7 transfected HepG2 cells.



Immunofluorescent analysis of HepG2 cells, using Septin 7 antibody 13818-1-AP at 1:50 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).