For Research Use Only

ZHX1 Polyclonal antibody

Catalog Number: 13903-1-AP

Featured Product

3 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 13903-1-AP
 BC040481

 Size:
 GeneID (NCBI):

 1000 μ g/ml
 11244

 Source:
 UNIPROT ID:

Rabbit Q9UKY1 Isotype: Full Name:

gG zinc fingers and homeoboxes 1
mmunogen Catalog Number: Calculated MW:

Immunogen Catalog Number:Calculated MWAG4874873 aa, 98 kDaObserved MW:

Observed MW: 100-120 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

Applications

Tested Applications: IP, WB,ELISA
Cited Applications:

WB, IHC

Species Specificity: human, mouse, rat Cited Species:

human

Positive Controls:

WB: HeLa cells, HEK-293 cells, mouse heart tissue,

mouse kidney tissue

IP: HEK-293 cells,

Background Information

Binding of the nuclear factor-Y complex (NF-Y) to the inverted CCAAT-box interferes with transcription activation through nucleosome reorganization. The three homologous proteins forming the zinc-fingers and homeoboxes (ZHX) family interact with the activation domain of NF-Ya to repress transcription [PMID:19348505,20509910]. Human zinc-fingers and homeoboxes 1 (ZHX1) was cloned as a protein that interacts with the activation domain (AD) of the A subunit of nuclear factor-Y (NF-YA) [PMID:12237128].

Notable Publications

Author	Pubmed ID	Journal	Application
Keman Liao	31648104	Mol Ther Nucleic Acids	WB
Ryuk-Jun Kwon	27835650	PLoS One	WB,IHC
Ryuk-Jun Kwon	28351300	Tumour Biol	WB,IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 13903-1-AP (ZHX1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IP result of anti-ZHX1 (IP:13903-1-AP, 4ug; Detection:13903-1-AP 1:500) with HEK-293 cells lysate 3200ug.