For Research Use Only

## KIF3A Polyclonal antibody Catalog Number: 13930-1-AP Featured Product

Featured Product






| Basic Information      | Catalog Number:<br>13930-1-AP  | GenBank Accession Number:<br>BC045542            |                              | Purification Method:<br>Antigen affinity purification  |
|------------------------|--|--|------------------------------|--|
|                        | Concentration:   | GeneID (NCBI):<br>11127<br>UNIPROT ID:<br>09Y496 |                              | Recommended Dilutions:<br>WB 1:500-1:2000<br>IP 0.5-4.0 ug for 1.0-3.0 mg of total<br>protein lysate<br>IHC 1:20-1:200 |
|                        | 500 µg/ml  |  |                              |  |
|                        | Source:<br>Rabbit  |  |                              |  |
|                        | Isotype: Full Name:  |  |                              |  |
|                        | lgG  | kinesin family member 3A                         |                              |  |
|                        | Immunogen Catalog Number:<br>AG4954  | Calculated MW:<br>80 kDa                         |                              |  |
|                        |  | Observed MW:<br>80 kDa                           |                              |  |
| Applications           | Tested Applications:   | Positive Controls:                               |                              |  |
|                        |  |  | WB : mouse b<br>mouse cerebe | rain tissue, human cerebellum tissue,  |
|                        | WB, IHC, IF, IP  | IP : mouse brain t                               |                              |  |
|                        | Species Specificity:<br>human, mouse   |  | IHC : human gliomas tissue,  |  |
|                        | Cited Species:<br>human, mouse   |  |                              |  |
|                        | Note-IHC: suggested antigen retrieval with<br>TE buffer pH 9.0; (*) Alternatively, antigen<br>retrieval may be performed with citrate<br>buffer pH 6.0   |  |                              |  |
| Background Information | KIF3A is a subunit of Kinesin II that is essential for intraflagellar transport (IFT). It functions as the anterograde<br>motor to deliver ciliary components to the tip where the axoneme is assembled. Disruption of KIF3A has been<br>reported to block mammalian ciliogenesis. Recently KIF3A has been found to localize to the mother centriole and i<br>required for centrioles organization. This antibody specifically recognizes the endogenous KIF3A protein in mouse<br>embryonic fibroblasts (MEFs) but not in KIF3A-/- lysate. (23386061) |  |                              |  |
| Notable Publications   | Author   | Pubmed ID Jou                                    | rnal                         | Application  |
|                        | Molly M Wilson   | 34705506 Sci /                                   | Adv                          | WB   |
|                        | Michal Pruski  | 31850339 From                                    | nt Cell Dev Biol             | WB   |
|                        | Vincent J Guen   | 29158396 Proc                                    | c Natl Acad Sci U            | S A WB   |
|                        |  |  |                              |  |


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data




IP result of anti-KIF3A (IP:13930-1-AP, 4ug: Detection:13930-1-AP 1:500) with mouse brain tissue lysate 8000ug.




1 10150 25µg lysate


WB and IP result of the antibdoy anti-KIF3A (13930-1-AP) in mouse cell from Corbit, Kevin.



Immunohistochemical analysis of paraffinembedded human gliomas using 13930-1-AP (KIF3A antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human gliomas using 13930-1-AP (KIF3A antibody) at dilution of 1:100 (under 40x lens).



mouse brain tissue were subjected to SDS PAGE followed by western blot with 13930-1-AP (KIF3A Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.