For Research Use Only

RARB Polyclonal antibody

Catalog Number: 14013-1-AP

Featured Product

2 Publications



Basic Information

Catalog Number: GenBank Accession Number: 14013-1-AP BC060794

Size: GeneID (NCBI): 5915

Source: UNIPROT ID: Rabbit P10826

Isotype: Full Name:

gG retinoic acid receptor, beta

Immunogen Catalog Number: Calculated MW:

AG5119 50 kDa

Observed MW: 37-51 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000

IHC 1:50-1:500

Positive Controls:

WB: Sp2/0 cells,

IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB

Species Specificity: human, mouse Cited Species: human, mouse

IHC: mouse colon tissue, mouse bladder tissue, human pancreas cancer tissue, human renal cell carcinoma tissue, mouse brain tissue, rat bladder tissue, rat brain

es: IF/ICC : MCF-7 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Retinoic acid receptors (RARs) are important mediators of retinoid signaling in morphogenesis, development, and cell differentiation. Retinoic acid receptors bind as heterodimers to their target response elements in response to their ligands, all-trans or 9-cis retinoic acid, and regulate gene expression in various biological processes (PMID:12554770). They can bind to the retinoic acid response elements (RARE) composed of tandem 5'-AGGTCA-3' sites known as DR1-DR5. In the absence or presence of hormone ligand, they act mainly as activators of gene expression due to weak binding to corepressors. RARB is one isotypes of RARs (PMID:12834868).

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaolong Wang	29421320	Antiviral Res	WB
Shengli Ming	38989466	iScience	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffe


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14013-1-AP (RARB antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 14013-1-AP (RARB antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 14013-1-AP (RARB antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using RARB antibody (14013-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-phalloidin (red).