

For Research Use Only

ESRRG Polyclonal antibody

Catalog Number: 14017-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

14017-1-AP

Size:

600 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG5127

GenBank Accession Number:

BC064700

GeneID (NCBI):

2104

UNIPROT ID:

P62508

Full Name:

estrogen-related receptor gamma

Calculated MW:

51 kDa

Observed MW:

51 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Positive Controls:

WB : human spleen tissue, human kidney tissue

Background Information

Estrogen-related receptor gamma (ERR-gamma), also known as NR3B3 (nuclear receptor subfamily 3, group B, member 3), is a member of nuclear hormone receptor family of steroid hormone receptors. As an orphan nuclear receptor, it binds specifically to an estrogen response element and activates reporter genes controlled by estrogen response elements. It behaves as a constitutive activator of transcription. 4-hydroxytamoxifen and diethylstilbestrol may act as inverse agonists and deactivate ESRRG. It also seems to be the target of bisphenol A. This antibody is a rabbit polyclonal antibody raised against residues near the C terminus of human ESRRG.

Notable Publications

Author	Pubmed ID	Journal	Application
Wei Gong	27417234	Int J Biochem Cell Biol	WB
Olubankole Aladesuyi Arogundade	33588953	Acta Neuropathol Commun	IHC, IF
Hye-Young Nam	30131446	Mol Cancer Res	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human spleen tissue were subjected to SDS PAGE followed by western blot with 14017-1-AP (ESRRG antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.