For Research Use Only

# ABHD2 Polyclonal antibody

Catalog Number:14039-1-AP

Featured Product

9 Publications



### **Basic Information**

14039-1-AP Concentration: 180 ug/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG5108

Catalog Number:

GenBank Accession Number: BC019248 GeneID (NCBI): 11057 UNIPROT ID: P08910 Full Name: abhydrolase domain containing 2 Calculated MW: 48 kDa Observed MW: 48 kDa

#### Purification Method: Antigen affinity purification

Recommended Dilutions: WB: 1:500-1:1000 IHC: 1:50-1:500

IF/ICC: 1:50-1:500

# Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity:

human, mouse, rat Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB : HepG2 cells, HEK-293 cells IHC : human stomach tissue, IF/ICC : HEK-293 cells,

## **Background Information**

# **Notable Publications**

Author	Pubmed ID	Journal	Application
Xin - hui Cao	36125462	Cancer Med	WB
Ida Björkgren	34568325	Front Cell Dev Biol	WB,IF
Melissa R Miller	26989199	Science	WB,IF
Melissa R Miller	26989199	Science	VVB,IF

Storage


#### Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol, pH7.3 Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14039-1-AP (ABHD2 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



WB result of ABHD2 antibody (14039-1-AP; 1:1200; incubated at room temperature for 1.5 hours) with sh-Control and sh-ABHD2 transfected HepG2 cells.



Immunohistochemical analysis of paraffinembedded human stomach tissue slide using 14039-1-AP (ABHD2 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using ABHD2 antibody (14039-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).