For Research Use Only

DDX3Y Polyclonal antibody Catalog Number: 14041-1-AP 1 Publications





Basic Information	Catalog Number:GenBank Accession Number:14041-1-APBC034942			Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000	
	Size: 427 ug/ml				
	Source: Rabbit	UNIPROT ID: 015523	-	IHC 1:50-1:500	
	Isotype: IgG Immunogen Catalog Number: AG5110	Full Name: DEAD (Asp-Glu-Ala-As polypeptide 3, Y-linked	•		
		Calculated MW: 73 kDa			
Applications	Tested Applications:		Positive Controls:		
	WB, IHC, ELISA	WB : DU 145 cells, LNCaP cells, PC-3 cells			
	Cited Applications: IHC : human testis tissue, IP				
	Species Specificity: human Cited Species: human				
					Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0
	Background Information	DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases which are implicated in a number of cellular processes involving RNA binding and alteration of RNA secondary structure. DDX3Y is one member of DEAD box RNA helicases, encode by the gene locate on the chromosome Y in the azoospermia factor A region. Polyclonal anti-DDX3Y antibodies (14041-1-AP) are produced by immunizing animals with C-terminus of DDX3Y and detect an 73-kDa band. As DDX3Y has a structural homolog with DDX3X, the antibody can recognize both.			
Notable Publications	Author	Pubmed ID Journa	l	Application	
	Lei Xiu	38217953 Acta Hi	stochem	IP	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.			

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 14041-1-AP (DDX3Y antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human testis tissue slide using 14041-1-AP (DDX3Y antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).