For Research Use Only

SGSH Polyclonal antibody

Catalog Number: 14184-1-AP

1 Publications



Basic Information

Catalog Number: 14184-1-AP

 14184-1-AP
 BC047318

 Size:
 GeneID (NCBI):

 400 μ g/ml
 6448

 Source:
 UNIPROT ID:

 Rabbit
 P51688

Isotype: Full Name:
IgG N-sulfoglucosamine sulfohydrolase

Immunogen Catalog Number:Calculated MW:AG543557 kDa

Observed MW: 56 kDa

GenBank Accession Number:

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000

IHC 1:20-1:200

Applications

Tested Applications: IHC, WB,ELISA Cited Applications:

WB. IF

Species Specificity:

human Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, Transfected

IHC: human pancreas cancer tissue, human liver

cancer tissue

Background Information

SGSH(N-sulphoglucosamine sulphohydrolase) is also named as HSS, sulphamidase and belongs to the sulfatase family. Sulfamidase is synthesized as a 62 kDa precursor protein, which is modified with mannose 6-phosphate (M6P) residues, allowing their recognition by mannose-6-phosphate receptors in the Golgi complex and ensuring transport to the endosomal/lysosomal system(PMID:21671382). It catalyzes the third step of degradation of glucosaminoglycans and is required for the degradation of heparan sulphate. Defects in SGSH are the cause of mucopolysaccharidosis type 3A (MPS3A), also known as Sanfilippo syndrome A.

Notable Publications

Author	Pubmed ID	Journal	Application
Bo Jiang	38354943	Exp Eye Res	WB,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



HEK-293 cells were subjected to SDS PAGE followed by western blot with 14184-1-AP (SGSH Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 14184-1-AP (SGSH Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 14184-1-AP (SGSH Antibody) at dilution of 1:200 (under 40x lens).