For Research Use Only

ENPP2 Polyclonal antibody

Catalog Number: 14243-1-AP 10 Publications



Purification Method:

WB 1:500-1:3000

protein lysate

IHC 1:20-1:200

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 14243-1-AP BC034961 GeneID (NCBI): Concentration: 700 μg/ml 5168 **UNIPROT ID:** Source: Rabbit Q13822 Full Name: Isotype:

ectonucleotide pyrophosphatase/phosphodiesterase

Immunogen Catalog Number: AG5499

Calculated MW: 99 kDa Observed MW: 100-110 kDa

Applications

Tested Applications: WB, IP, IHC, ELISA **Cited Applications:** WB. IHC Species Specificity:

human, mouse, rat **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

WB: mouse brain tissue, human placenta tissue, mouse kidney tissue, rat brain tissue

IP: mouse brain tissue,

IHC: human liver cancer tissue, human small intestine

tissue

Background Information

ENPP2, Autotaxin or Extracellular lysophospholipase D, is a 863 amino acid secreted protein, which is detected in blood plasma (at protein level) (PubMed:12176993, PubMed:26371182). ENPP2 is Predominantly expressed in brain, placenta, ovary, and small intestine. ENPP2 is expressed in a number of carcinomas such as hepatocellular and prostate carcinoma, neuroblastoma and non-small-cell lung cancer. ENPP2 is expressed in body fluids such as plasma, cerebral spinal fluid (CSF), saliva, follicular and amniotic fluids. The calculated molecular weight of ENPP2 is about 100 kDa (PMID: 22301782), but modified ENPP2 is 120 kDa (PMID: 19808661). ENPP2 Hydrolyzes lysophospholipids to produce the signaling molecule lysophosphatidic acid (LPA) in extracellular fluids (PubMed:15769751, PubMed:26371182, PubMed:27754931).

Notable Publications

Author	Pubmed ID	Journal	Application
Yongjie Jin	34685560	Cells	WB
Gang Ren	36090480	Mol Ther Oncolytics	WB
Fangbo Xia	29950994	Front Pharmacol	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 14243-1-AP (Autotaxin antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



IP result of anti-Autotaxin (IP:14243-1-AP, 5ug; Detection:14243-1-AP 1:500) with mouse brain tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 14243-1-AP (Autotaxin antibody at dilution of 1:50 (under 40x lens).