

For Research Use Only

NOMO2 Polyclonal antibody, PBS Only

Catalog Number:14328-1-PBS



Basic Information

| | | |
|--|--|--|
| Catalog Number: 14328-1-PBS | GenBank Accession Number: BC041131 | Purification Method: Antigen affinity purification |
| Source: Rabbit | GeneID (NCBI): 283820 | |
| Isotype: IgG | UNIPROT ID: Q5JPE7 | |
| Immunogen Catalog Number: AG5595 | Full Name: NODAL modulator 2 | |
| | Calculated MW: 139 kDa | |
| | Observed MW: 130 kDa | |

Applications

Tested Applications:
WB, IHC, IF/ICC, IP, Indirect ELISA

Species Specificity:
human

Background Information

Storage

Storage:
Store at -80°C.
The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




BxPC-3 cells were subjected to SDS PAGE followed by western blot with 14328-1-AP (NOMO2 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human pancreas cancer using 14328-1-AP (NOMO2 antibody) at dilution of 1:100 (under 10x lens). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human pancreas cancer using 14328-1-AP (NOMO2 antibody) at dilution of 1:100 (under 40x lens). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of BxPC-3 cells using 14328-1-AP (NOMO2 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



IP result of anti-NOMO2 (IP:14328-1-AP, 4ug; Detection:14328-1-AP 1:1000) with HEK-293 cells lysate 2400ug. This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.