## For Research Use Only

# B7-H3/CD276 Polyclonal antibody

Catalog Number: 14453-1-AP

Featured Product

16 Publications



**Basic Information** 

Catalog Number:

14453-1-AP

Concentration:

350 ug/ml

Source:

Rabbit

UNIPROT ID:

Rabbit

Q5ZPR3

Isotype:

IgG

GenBank Accession Number:

BC062581

GeneID (NCBI):

80381

UNIPROT ID:

Q5ZPR3

Full Name:

CD276 molecule

AG6006 57 kDa

Immunogen Catalog Number:

Observed MW:

100 kDa

Calculated MW:

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:8000

IHC 1:200-1:800

**Applications** 

Tested Applications: WB, IHC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### **Positive Controls:**

WB: HEK-293 cells, LNCaP cells, U2OS cells
IHC: human prostate cancer tissue, human
medulloblastoma tissue, human testis tissue, human
tonsillitis tissue

# **Background Information**

B7-H3 (CD276) is a type I transmembrane protein expressed on many tissues and cell types. B7-H3 is a 100-kDa glycoprotein that belongs to the B7 immunoregulatory family and participates in the regulation of T-cell-mediated immune response probably by functioning as both a T cell costimulator and coinhibitor (PMID: 25567370; 20696859). Overexpressed on a wide range of human solid cancers, B7-H3 has been implicated in cancer progression and metastasis and becomes an attractive target for cancer immunotherapy (PMID: 27208063).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Lipeng Tang	30607907	J Cell Physiol	WB
Zhangao Li	31737114	J Cancer	IHC
Qi Zhang	36435292	J Nutr Biochem	WB

# Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3  $\,$ 

Aliquoting is unnecessary for -20°C storage


# **Selected Validation Data**




WB result of B7-H3/CD276 antibody (14453-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-B7-H3/CD276 transfected HEK-293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).